Contents

Number 270

MEHARG AA, MAUROUSSET L, BLATT MR. Cable correction of membrane currents recorded from root hairs of *Arabidopsis thaliana* L. 1

HOLE CC, DEARMAN J. Sucrose uptake by the phloem parenchyma of carrot storage root 7

FARRAR JF, MINCHIN PEH, THORPE MR. Carbon import into barley roots: stimulation by galactose 17

RIDEOUT JW, CHAILLOU S, RAPER CD JR, MOROT-GAUDRY JF. Ammonium and nitrate uptake by soybean during recovery from nitrogen deprivation 23

WRIGHT KM, OPARKA, KJ. Physicochemical properties alone do not predict the movement and compartmentation of fluorescent xenobiotics 35

PINTON R, CAKMAK I, MARSCHNER H. Zinc deficiency enhanced NAD(P)H-dependent superoxide radical production in plasma membrane vesicles isolated from roots of bean plants 45

VAN IEPEREN W, MADERY H. A new method to measure plant water uptake and transpiration simultaneously 51

VAN AS H, REINDERS JEA, DE JAGER PA, VAN DE SANDEN PACM, SCHAAFSMA TJ. *In situ* water balance studies using a portable NMR spectrometer 61

MASIA A, PITACCO A, BRAGGIO L, GIULIVO C. Hormonal responses to partial drying of the root system of *Helianthus annuus* 69

MYERS AB, FIRN RD, DIGBY J. Gravitropic sign reversal – a fundamental feature of the gravitropic perception or response mechanisms in some plant organs 77

MOYSSET L, GÓMEZ LA, SIMÓN E. Effects of lanthanum on rhythmic and nyctinastic leaflet movements in *Albizzia lophantha* 85

BENGOUGH AG, MACKENZIE CJ. Simultaneous measurement of root force and elongation for seedling pea roots 95

FISCHER A, FELLER U. Senescence and protein degradation in leaf segments of young winter wheat: influence of leaf age 103

BONDADA BR, OOSTERHUIS DM, WULLSCHLEGER SD, KIM KS, HARRIS WM. Anatomical considerations related to photosynthesis in cotton (*Gossypium hirsutum* L.) leaves, bracts and the capsule wall 111

KUBÍNOVÁ L. Recent stereological methods for measuring leaf anatomical characteristics: estimation of the number and sizes of stomata and mesophyll cells 119

VAUGHAN D, BAKER RG. Influence of nutrients on the development of gibbosity in fronds of the duckweed *Lemna gibba* L. 129

BARNETT JR, MILLER H. The effect of applied heat on graft union formation in dormant *Picea sitchensis* (Bong.) Carr 135

TESNIÈRE C, ROMIEU C, DUGELAY I, NICOL MZ, FLANZY C, ROBIN JP. Partial recovery of grape energy metabolism upon aeration following anaerobic stress 145

WILLIAMS TG, COLMAN B. Rapid separation of carbonic anhydrase isozymes using cellulose acetate membrane electrophoresis 153

Book Reviews

OSBORNE DJ. Cellular and molecular aspects of the plant hormone ethylene. JC Pech, A Latché, C Balagué 159

VIVIAN A. Bacterial plant pathology: cell and molecular aspects. DC Sigee 159

BAILEY BJ. The computerized greenhouse—automatic control application in plant production. Y Hashimoto, GPA Bot, J Day, H-J Tantau, N Nonami 160

Number 271

VAN IERSEL MW, OOSTERHUIS DM, HARRIS WM. Apoplastic water flow to cotton leaves and fruits during development 163

ABRAMS MD, KUBISKE ME. Synchronous changes in the tissue water parameters of mature foliage from well-watered and periodically droughted tree seedlings 171

YANG S, TYREE MT. Hydraulic architecture of *Acer saccharum* and *A. rubrum*: comparison of branches to whole trees and the contribution of leaves to hydraulic resistance 179

YOSHIDA S, EGUCHI H. Environmental analysis of aerial O_2 transport through leaves for root respiration in relation to water uptake in cucumber plants (*Cucumis sativus* L.) in O_2-deficient nutrient solution 188

HUANG B, JOHNSON JW, NESMITH S, BRIDGES DC. Growth, physiological and anatomical responses of two wheat genotypes to waterlogging and nutrient supply 193

MAILLARD P, DELÉENS E, DAUDET FA, LACOINTE A, FROSSARD JS. Carbon and nitrogen partitioning in walnut seedlings during the acquisition of autotrophy through simultaneous $^{13}CO_2$ and $^{15}NO_3$ long-term labelling 203

BENET H, BRUSS U, DUVAL J-C, KLOAREG B. Photosynthesis and photoinhibition in protoplasts of the marine brown alga *Laminaria saccharina* 211

HARTUNG W, ZHANG J, DAVIES WJ. Does abscisic acid play a stress physiological role in maize plants growing in heavily compacted soil? 221

WINDSOR ML, MILBORROW BV, ABRAMS SR. Stereochemical requirements of the saturable uptake carrier for abscisic acid in carrot suspension culture cells 227

OBERBECK K, DRUCKER M, ROBINSON DG. V-type ATPase and pyrophosphatase in endomembranes of maize roots 235

RAUSCH T, BÖHM M, DAHSE I, WEIL M, VERSTAPPEN R. Sugar transport into plasma membrane vesicles of transformed tobacco cells: uptake of sucrose but not of hexoses is stimulated by ΔpH 245

ITO Y, ABE S, DAVIES E. Co-localization of cytoskeleton proteins and polysomes with a membrane fraction from peas 253

YU W-J, GREENWOOD JS. Purification and characterization of a cysteine proteinase involved in globulin hydrolysation in germinated *Vicia faba* L. 261

MISRA S, GREEN M. Legumin-like storage polypeptides of conifer seeds and their antigenic cross-reactivity with 11S globulins from angiosperms 269

© Oxford University Press 1994

LI B, FOLEY ME. Differential polypeptide patterns in imbibed dormant and after-ripened *Avena fatua* embryos 275

Short Communication

CLARK LJ, SHAWE KG, HOFFMANN G, STEWART GR. The effect of *Striga hermonthica* (Del.) Benth. infection on gas-exchange characteristics and yield of a sorghum host, measured in the field in Mali 281

Book Review

MORISON JIL. Water transport in plants under climatic stress. M Borghetti, J Grace, A Raschi 285

Number 272

ALDINGTON S, FRY SC. Rhamnogalacturonan-II—a biologically active fragment 287

NOBEL PS, ISRAEL AA. Cladode development, environmental responses of CO_2 uptake, and productivity for *Opuntia ficus-indica* under elevated CO_2 295

BAXTER R, ASHENDEN TW, SPARKS TH, FARRAR JF. Effects of elevated carbon dioxide on three montane grass species. I. 305

ELSE MA, DAVIES WJ, WHITFORD PN, HALL KC JACKSON MB. Concentrations of abscisic acid and other solutes in xylem sap from root systems of tomato and castor-oil plants are distorted by wounding and variable sap flow rates 317

KEILLER DR, SLOCOMBE SP, COCKBURN W. Analysis of chlorophyll *a* fluorescence in C_3 and CAM forms of *Mesembryanthemum crystallinum* 325

RITTER S, KOLLER D. Light-driven movements of the trifoliate leaves of bean (*Phaseolus vulgaris* L.). Activity of blue light and red light 335

RUUSKA SA, VAPAAVUORI EM, LAISK A. Reactions of birch leaves to changes in light during early ontogeny: comparison between *in vivo* and *in vitro* techniques to measure carbon uptake 343

NI M, BEEVERS L. Nitrate-induced polypeptides in membranes from corn seedling roots 355

RIES S, WIDDERS I, SAVITHIRY, S, WERT V, BAUGHAN R. Cation signals rapidly elicited in several different plant species by pinching the leaves 367

IZAGUIRRE-MAYORAL ML, CARBALLO O, SICARDI DE MALLORCA M, MARYS E, GIL F. Symbiotic nitrogen fixation and physiological performance of bean (*Phaseolus vulgaris* L.) plants as affected by *Rhizobium* inoculum position and bean rugose mosaic virus infection 373

DAUGHERTY CJ, MUSGRAVE ME. Characterization of populations of rapid-cycling *Brassica rapa* L. selected for differential waterlogging tolerance 385

ERREA P, FELIPE A, HERRERO M. Graft establishment between compatible and incompatible *Prunus* spp. 393

DEMBITSKY VM, REZANKA T, BYCHEK IA. Seasonal variability of lipids and fatty acids in the tree-growing lichen *Xanthoria parientina* L. 403

Short Communication

GLEED D, FIRN RD, DIGBY J. How is a phototropic stimulus perceived by hypocotyls? 409

Book Review

DUNWELL JM. Biotechnology in agriculture. C You, Z Chen, Y Ding 413

Number 273

PARDOSSI A, PRITCHARD J, TOMOS AD. Leaf illumination and root cooling inhibit bean leaf expansion by decreasing turgor pressure 415

SKINNER RH, RADIN JW. The effect of phosphorus nutrition on water flow through the apoplastic bypass in cotton roots 423

FENG J, VOLK RJ, JACKSON WA. Inward and outward transport of ammonium in roots of maize and sorghum: contrasting effects of methionine sulphoximine 429

GORHAM J. Salt tolerance in the Triticeae: K/Na discrimination in some perennial wheatgrasses and their amphiploids with wheat 441

ALBRECHT G, WIEDENROTH E-M. Protection against activated oxygen following re-aeration of hypoxically pretreated wheat roots. The response of the glutathione system 449

SCHNEIDER A, SCHATTEN T, RENNENBERG H. Exchange between phloem and xylem during long distance transport of glutathione in spruce trees (*Picea abies* [Karst.] L.) 457

FROMM J, BAUER T. Action potentials in maize sieve tubes change phloem translocation 463

CROSTHWAITE SK, MACDONALD FM, BAYDOUN EA-H, BRETT CT. Properties of a protein-linked glucuronoxylan formed in the plant Golgi apparatus 471

ROY S, RAGHAVAN V. Control of heat-shock response of young gametophytes of the sensitive fern is at the translational level 477

SHARMA AK, RAGHURAM N, CHANDOK, MR, DAS R, SOPORY SK. Investigations on the nature of the phytochrome-induced transmitter for the regulation of nitrate reductase in etiolated leaves of maize 485

BOMMINENI VR, DATLA RSS, TSANG EWT. Expression of *gus* in somatic embryo cultures of black spruce after microprojectile bombardment 491

AERTS RJ, BAUMANN TW. Distribution and utilization of chlorogenic acid in *Coffea* seedlings 497

SARANAK J, FOSTER KW. The *in vivo* cleavage of carotenoids into retinoids in *Chlamydomonas reinhardtii* 505

Short Communications

CITORES L, IGLESIAS R, MUÑOZ R, FERRERAS JM, JIMENEZ P, GIRBES T. Elderberry (*Sambucus nigra* L.) seed proteins inhibit protein synthesis and display strong immunoreactivity with rabbit polyclonal antibodies raised against the type 2 ribosome-inactivating protein nigrin b 513

JONES TWA, THOMAS AM. Changes in gene products associated with flowering in red clover (*Trifolium pratense* L.) 517

Number 274

SMITH JJ, ZHANG ZH, SCHOFIELD CJ, JOHN P, BALDWIN JE. Inactivation of 1-aminocyclopropane-1-carboxylate (ACC) oxidase 521

CHIBI F, MATILLA AJ. The involvement of ethylene in *in vitro* maturation of mid-binucleate pollen of *Nicotiana tabacum* 529
PUGLIESI C, FAMBRINI M, VERNIERI P, BARONCELLI S. Characterization of a wilty sunflower (*Helianthus annuus* L.) mutant. I. 533
BERRYMAN CA, EAMUS D, DUFF GA. Stomatal responses to a range of variables in two tropical tree species grown with CO_2 enrichment 539
DELGADO E, VADELL J, MEDRANO H. Photosynthesis during leaf ontogeny in field-grown *Nicotiana tabacum* L. lines selected by survival at low CO_2 concentrations 547
YEO ME, YEO AR, FLOWERS TJ. Photosynthesis and photorespiration in the genus *Oryza* 553
ONDE S, FUTERS TS, CUMING AC. Rapid analysis of an osmotic stress responsive promoter by transient expression in intact wheat embryos 561
ZHANG Q, GREENWAY H. Anoxia tolerance and anaerobic catabolism of aged beetroot storage tissues 567
SCOTT II HB, OLIVER MJ. Accumulation and polysomal recruitment of transcripts in response to desiccation and rehydration of the moss *Tortula ruralis* 577
DE SILVA DLR, RUIZ LP, ATKINSON CJ, MANSFIELD TA. Physiological disturbances caused by high rhizospheric calcium in the calcifuge *Lupinus luteus* 585
KUTSCHERA U, KÖHLER K. Cell elongation, turgor and osmotic pressure in developing sunflower hypocotyls 591
SENDEN MHMN, VAN DER MEER AJGM, VERBURG TG, WOLTERBEEK HTH. Effects of cadmium on the behaviour of citric acid in isolated tomato xylem walls 597
WELLBURN FAM, WELLBURN AR. Atmospheric ozone affects carbohydrate allocation and winter hardiness of *Pinus halepensis* (Mill.) 607
MINCHIN PEH, THORPE MR, FARRAR JF. Short-term control of root:shoot partitioning 615
SHI Y, WANG MB, POWELL KS, VAN DAMME E, HILDER VA, GATEHOUSE AMR, BOULTER D, GATEHOUSE JA. Use of the rice sucrose synthase-1 promoter to direct phloem-specific expression of β-glucuronidase and snowdrop lectin genes in transgenic tobacco plants 623
ERMAYANTI TM, MCCOMB JA, O'BRIEN PA. Growth and swainsonine production of *Swainsona galegifolia* (Andr.) R. Br. untransformed and transformed root cultures 633
LIPP JOÃO KH, BROWN TA. Long-term stability of root cultures of tomato transformed with *Agrobacterium rhizogenes* R1601 641
NAKANO M, HOSHINO Y, MII M. Regeneration of transgenic plants of grapevine (*Vitis vinifera* L.) via *Agrobacterium rhizogenes*-mediated transformation of embryogenic calli 649
WHITTINGTON J, BISSON MA. Na^+ fluxes in Chara under salt stress 657
DEVIENNE F, MARY B, LAMAZE T. Nitrate transport in intact wheat roots. I. 667
DEVIENNE F, MARY B, LAMAZE T. Nitrate transport in intact wheat roots. II. 677

Number 275

SATIAT-JEUNEMAITRE B, FITCHETTE-LAINÉ A-C, ALABOUVETTE J, MARTY-MAZARS D, HAWES C, FAYE L, MARTY F. Differential effects of monensin on the plant secretory pathway 685
KROCHKO JE, BANTROCH DJ, GREENWOOD JS, BEWLEY JD. Seed storage proteins in developing somatic embryos of alfalfa: defects in accumulation compared to zygotic embryos 699
JEUFFROY M-H, CHABANET C. A model to predict seed number per pod from early pod growth rate in pea (*Pisum sativum* L.) 709
MOSER O, KANELLIS AK. Ascorbate oxidase of *Cucumis melo* L. var. reticulatus: purification, characterization and antibody production 717
SCHMIDT W. Root-mediated ferric reduction—responses to iron deficiency, exogenously induced changes in hormonal balance and inhibition of protein synthesis 725
PEUKE AD, HARTUNG W, JESCHKE WD. The uptake and flow of C, N and ions between roots and shoots in *Ricinus communis* L. II. 733
PEUKE AD, JESCHKE WJ, HARTUNG W. The uptake and flow of C, N and ions between roots and shoots in *Ricinus communis* L. III. 741
MCNEILL AM, HOC[illegible] RC, WOOD M. Direct measurement of nitrogen fixat[illegible] by *Trifolium repens* L. and *Alnus glutinosa* L. using [illegible] 749
JAMES EK, REIS VM, [illegible]LIVARES FL, BALDANI JI, DÖBEREINER J. Infection [illegible]ugar cane by the nitrogen-fixing bacterium *Acetobacter diazotrophicus* 757
LEE RB, LEWIS MJ. Synthesis and ^{15}N-labelling of glutamine and glutamate in maize roots during early stages of ^{15}N-ammonium assimilation 767
BELL TL, PATE JS, DIXON KW. Response of mycorrhizal seedlings of SW Australian sandplain Epacridaceae to added nitrogen and phosphorus 779
JESCHKE WD, RÄTH N, BÄUMEL P, CZYGAN F-C, PROKSCH P. Modelling the flow and partitioning of carbon and nitrogen in the holoparasite *Cuscuta reflexa* Roxb. and its host *Lupinus albus* L. I. 791
JESCHKE WD, BÄUMEL P, RÄTH N, CZYGAN F-C, PROKSCH P. Modelling of the flows and partitioning of carbon and nitrogen in the holoparasite *Cuscuta reflexa* Roxb. and its host *Lupinus albus* L. II. 801
SALTVEIT ME. Exposure to alcohol vapours reduces chilling-induced injury of excised cucumber cotyledons, but not of seedlings or excised hypocotyl segments 813
REPO T, ZHANG MIN, RYYPPÖ A, VAPAAVUORI E, SUTINEN S. Effects of freeze–thaw injury on parameters of distributed electrical circuits of stems and needles of Scots pine seedlings at different stages of acclimation 823
PENG Z-Y, WEYERS JDB. Stomatal sensitivity to abscisic acid following water deficit stress 835
ANSLEY RJ, DUGAS WA, HEUER ML, TREVINO BA. Stem flow and porometer measurements of transpiration from honey mesquite (*Prosopis glandulosa*) 847
CROOK MJ, ENNOS AR, SELLERS EK. Structural development of the shoot and root systems of two winter wheat cultivars, *Triticum aestivum* L. 857
GARCÍA-GÓMEZ ML, SÁNCHEZ-ROMERO C, BARCELÓ-MUÑOZ A, HEREDIA A, PLIEGO-ALFARO F. Levels of endogenous indole-3-acetic acid and indole-3-acetyl-aspartic acid during adventitious rooting in avocado microcuttings 865
HAMMATT N. Shoot initiation in the leaflet axils of compound leaves from micropropagated shoots of juvenile and mature common ash (*Fraxinus excelsior* L.) 871

Book Reviews

TURNER NC. Water deficits. Plant responses from cell to community. JAC Smith, H Griffiths 877

BLAKE J. Plant propagation by tissue culture. Part 1, The technology, 2nd edn. EF George 878

Number 276

BELL CI, CRAM WJ, CLARKSON DT. Compartmental analysis of $^{35}SO_4^{2-}$ exchange kinetics in roots and leaves of a tropical legume *Macroptilium atropurpureum*, cv. Siratro 879

MACKLON AES, LUMSDON DG, SIM A. Phosphate uptake and transport in *Agrostis capillaris* L.: Effects of non-toxic levels of aluminium and the significance of P and Al speciation 887

GORHAM J, PAPA R, ALOY-LLEONART M. Varietal differences in sodium uptake in barley cultivars exposed to soil salinity or salt spray 895

DODD IC, DAVIES WJ. Leaf growth responses to ABA are temperature dependent 903

GALLARDO M, TURNER NC, LUDWIG C. Water relations, gas exchange and abscisic acid content of *Lupinus cosentinii* leaves in response to drying different proportions of the root system 909

PLESNIČAR M, KASTORI R, PETROVIĆ N, PANKOVIĆ D. Photosynthesis and chlorophyll fluorescence in sunflower (*Helianthus annuus* L.) leaves as affected by phosphorus nutrition 919

CECHIN I, PRESS MC. Influence of nitrogen on growth and photosynthesis of a C_3 cereal, *Oryza sativa*, infected with the root hemiparasite *Striga hermonthica* 925

BARRADAS VL, JONES HG, CLARK JA. Stomatal responses to changing irradiance in *Phaseolus vulgaris* L. 931

THOMPSON GB, WOODWARD FI. Some influences of CO_2 enrichment, nitrogen nutrition and competition on grain yield and quality in spring wheat and barley 937

HENDERSON J, OSBORNE DJ. Inter-tissue signalling during the two-phase abscission in oil palm fruit 943

ALARCON J-J, MALONE M. Substantial hydraulic signals are triggered by leaf-biting insects in tomato 953

WITTY JF, MINCHIN FR. A new method to detect the presence of continuous gas-filled pathways for oxygen diffusion in legume nodules 959

CHIATANTE D, BRYANT JA. Activity of DNA topoisomerase I and quiescence of embryo cells in seeds of *Pisum sativum* L. 967

NYMAN S. Incorporation of arginine, ornithine and phenylalanine into tropane alkaloids in suspension-cultured cells and aseptic roots of intact plants of *Atropa belladonna* 979

THOMAS P, WARREN GS. Relationship between cell growth and viral antigen content of cultures of *Nicotiana tabacum* inoculated with tobacco mosaic virus 987

SWEBY DL, HUCKETT BI, WATT MP. Effects of nitrogen nutrition on salt-stressed *Nicotiana tabacum* var. Samsum *in vitro* plantlets 995

IVANOVA MI, TODOROV IT, ATANASSOVA L, DEWITTE W, VAN ONCKELEN HA. Co-localization of cytokinins with proteins related to cell proliferation in developing somatic embryos of *Dactylis glomerata* L. 1009

ERWIN J, VELGUTH P, HEINS R. Day/night temperature environment affects cell elongation but not division in *Lilium longiflorum* Thunb. 1019

Short Communications

Wechsberg GE, Probert RJ, Bray CM. The relationship between 'dehydrin-like' proteins and seed longevity in *Ranunculus scleratus* L. 1027

TALANOVA VV, TITOV AF. Endogenous abscisic acid content in cucumber leaves under the influence of unfavourable temperatures and salinity 1031

Book Reviews

BARBER MS. Biotechnology in plant disease control. I. Chet 1035

KEYS AJ. Photosynthesis: photoreactions to plant productivity. YP Abrol, P Mohanty, Govindjee 1035

Number 277

COLMER TD, FAN TW-M, HIGASHI RM, LÄUCHLI A. Interactions of Ca^{2+} and NaCl stress on the ion relations and intracellular pH of *Sorghum bicolor* root tips: An *in vivo* ^{31}P-NMR study 1037

MACDUFF JH, JARVIS SC, COCKBURN JE. Acclimation of NO_3^- fluxes to low root temperature by *Brassica napus* in relation to NO_3^- supply 1045

RYAN PR, WALKER NA. The regulation of ammonia uptake in *Chara australis* 1057

HERSCHBACH C, RENNENBERG H. Influence of glutathione (GSH) on net uptake of sulphate and sulphate transport in tobacco plants 1069

GILLET C, LABILLE C, NAGY JB. ^{23}Na and ^{7}Li NMR study of *Nitella* cell walls before and after an ion-induced loss of the cationic exchange capacity 1077

COCHARD H, EWERS FW, TYREE MT. Water relations of a tropical vine-like bamboo (*Rhipidocladum racemiflorum*): root pressures, vulnerability to cavitation, and seasonal changes in embolism 1085

SAKR S, GAILLARD C, ROBLIN G, DELROT S. Sucrose protectable inhibition of the sucrose transporter by *N*-ethylmaleimide 1091

LOHAUS G, BURBA M, HELDT HW. Comparison of the contents of sucrose and amino acids in the leaves, phloem sap and taproots of high and low sugar-producing hybrids of sugar beet (*Beta vulgaris* L.) 1097

MINCHIN PEH, FARRAR JF, THORPE MR. Partitioning of carbon in split root systems of barley: effect of temperature of the root 1103

FRANCISCO JR PB, HARPER JE. Microscopic characterization of early nodulation events in a non-nodulating soybean mutant (NN5) and lack of response to high inoculum dose 1111

HOLBROOK GP, CAMPBELL WJ, ROWLAND-BAMFORD A, BOWES G. Intraspecific variation in the light/dark modulation of ribulose 1,5-*bis*phosphate carboxylase-oxygenase activity in soybean 1119

SRIVASTAVA NK, LUTHRA R. Relationship between photosynthetic carbon metabolism and essential oil biogenesis in peppermint under Mn-stress 1127

GAY AP, HAUCK B. Acclimation of *Lolium temulentum* to enhanced carbon dioxide concentration 1133

BERNIER PY, STEWART JD, HOGAN GD. Quantifying the uncontrolled CO_2 dynamics of growth chambers 1143

ZIEGLER P, DAUSSANT J, LOOS K. Development of β-amylase activity and polymorphism in wheat seedling shoot tissues 1147

LEVI M, SPARVOLI E, CORBETTA N. An antibody against a sequence of human topoisomerase II gives different immunofluorescence patterns in quiescent and proliferating nuclei of *Pisum sativum* L. 1157

TAYLOR PWJ, KO H-L, FRASER TA, MASEL N, ADKINS SW. Effect of silver nitrate on sugarcane cell suspension growth, protoplast isolation, ethylene production and shoot regeneration from cell cultures 1163
MONSALVE RI, MENÉNDEZ-ARIAS L, GONZÁLEZ DE LA PEÑA MA, BATANERO E, VILLALBA M, RODRÍGUEZ R. Purification and characterization of napin-like proteins from radish 1169
LARDON A, TRIBOI-BLONDEL AM. Freezing injury to ovules, pollen and seeds in winter rape 1177

Short Communication

FRASER TW, MACKENDER RO, HARVEY BMR. Ultrastructural evidence of damage to leaf stromal protein four hours after treatment with paraquat 1183

Book Review

MACLEAN N. The chromosome. JS Heslop-Harrison, RB Flavell 1187

Number 278

BRUNE A, URBACH W, DIETZ K-J. Zinc stress induces changes in apoplasmic protein content and polypeptide composition of barley primary leaves 1189
HILDBRAND M, FISCHER A, FELLER U. Protein catabolism in bean leaf discs: Accumulation of a soluble fragment of ribulose-1, 5-*bis*phosphate carboxylase/oxygenase under oxygen deficiency 1197
QUILLERÉ I, DUFOSSÉ C, ROUX Y, FOYER CH, CABOCHE M, MOROT-GAUDRY J-F. The effects of deregulation of NR gene expression on growth and nitrogen metabolism of *Nicotiana plumbaginifolia* plants 1205
STAAL M, ELZENGA JTM, VAN ELK AG, PRINS HBA, VAN VOLKENBURGH E. Red and blue light-stimulated proton efflux by epidermal leaf cells of the Argenteum mutant of *Pisum sativum* 1213
TELLER S, APPENROTH K-J. The appearance of glutamine synthetase in turions of *Spirodela polyrhiza* (L.) Schleiden as regulated by blue and red light, nitrate and ammonium 1219
GUERRINI F, LOMBINI A, BIZARRI M, PUPILLO P. The effect of calcium chelators on microsomal pyridine nucleotide-linked dehydrogenases of sugarbeet cells 1227
CHAUMONT M, MOROT-GAUDRY J-F, FOYER CH. Seasonal and diurnal changes in photosynthesis and carbon partitioning in *Vitis vinifera* leaves in vines with and without fruit 1235
CAKMAK I, HENGELER C, MARSCHNER H. Partitioning of shoot and root dry matter and carbohydrates in bean plants suffering from phosphorus, potassium and magnesium deficiency 1245
CAKMAK I, HENGELER C, MARSCHNER H. Changes in phloem export of sucrose in leaves in response to phosphorus, potassium and magnesium deficiency in bean plants 1251
CAKMAK I. Activity of ascorbate-dependent H_2O_2-scavenging enzymes and leaf chlorosis are enhanced in magnesium and potassium-deficient leaves, but not phosphorus-deficient leaves 1259
BAXTER R, GANTLEY M, ASHENDEN TW, FARRAR JF. Effects of elevated carbon dioxide on three grass species from montane pasture. II. 1267
CHANDLER J, DEAN C. Factors influencing the vernalization response and flowering time of late flowering mutants of *Arabidopsis thaliana* (L.) Heynh. 1279
LIN T-P, HUANG N-H. The relationship between carbohydrate composition of some tree seeds and their longevity 1289
FINCH-SAVAGE WE, CLAY HA. Evidence that ethylene, light and abscisic acid interact to inhibit germination in the recalcitrant seeds of *Quercus robur* L. 1295
DEBAENE-GILL SB, ALLEN PS, WHITE DB. Dehydration of germinating perennial ryegrass seeds can alter the rate of subsequent radicle emergence 1301
SUMMERS JE, JACKSON MB. Anaerobic conditions strongly promote extension by stems of overwintering tubers of *Potamogeton pectinatus* L. 1309
COOPER-BLAND S, DE MAINE MJ, FLEMING MLMH, PHILLIPS MS, POWELL W, KUMAR A. Synthesis of intraspecific somatic hybirds of *Solanum tuberosum*: assessments of morphological, biochemical and nematode (*Globodera pallida*) resistance characteristics 1319
PAGÈS L, SERRA V. Growth and branching of the taproot of young oak trees—A dynamic study 1327
ZHANG J, ZHANG X. Can early wilting of old leaves account for much of the ABA accumulation in flooded pea plants? 1335

Short Communication

KIDDLE GA, DOUGHTY KJ, WALLSGROVE RM. Salicylic acid-induced accumulation of glucosinolates in oilseed rape (*Brassica napus* L.) leaves 1343

Number 279

HENDERSON J, SATIAT-JEUNEMAITRE B, NAPIER R, HAWES C. Brefeldin A-induced disassembly of the Golgi apparatus is followed by disruption of the endoplasmic reticulum in plant cells 1347
HOWARTH CJ, SKØT KP. Detailed characterization of heat shock protein synthesis and induced thermotolerance in seedlings of *Sorghum bicolor* L. 1353
SIEGENTHALER PA, DOUET-ORHANT V. Relationship between the ATP content measured at three imbibition times and germination of onion seeds during storage at 3, 15 and 30°C 1365
INGVARDSEN C, VEIERSKOV B. Response of young barley plants to CO_2-enrichment 1373
WILLIAMS M, SHEWRY PR, HARWOOD JL. The influence of the 'greenhouse effect' on wheat (*Triticum aestivum* L.) grain lipids 1379
PADGETT PE, LEONARD RT. Nitrate transport in *Zea mays* cell suspension cultures: the effect of solution composition and cell age 1387
WHITE PJ. Bafilomycin A1 is a non-competitive inhibitor of the tonoplast H^+-ATPase of maize coleoptiles 1397
SAUER G, SIMONIS W, SCHÖNKNECHT G. Divalent cation and anion currents are activated during the dark-induced transient hyperpolarization of the plasma membrane of the green alga *Eremosphaera viridis* 1403
RÜDINGER M, HALLGREN SW, STEUDLE E, SCHULZE E-D. Hydraulic and osmotic properties of spruce roots 1413
GUZZO F, BALDAN B, MARIANI P, LO SCHIAVO F, TERZI M. Studies on the origin of totipotent cells in explants of *Daucus carota* L. 1427

WARD AC, PHELPSTEAD JSt-J, GLEADLE AE, BLACKHALL NW, COOPER-BLAND S, KUMAR A, POWELL W, POWER JB, DAVEY MR. Interspecific somatic hybrids between dihaploid *Solanum tuberosum* L. and the wild species, *S. pinnatisectum* Dun. 1433
CURTIS IS, POWER JB, BLACKHALL NW, DE LAAT AMM, DAVEY MR. Genotype-independent transformation of lettuce using *Agrobacterium tumefaciens* 1441
UHEDA E, NAKAMURA S, KITOH S. Events associated with the rapid separation of cells from detached roots of *Azolla filiculoides* depend on pH 1451
JACOBS JJMR, ENGELBERTS A, CROES AF, WULLEMS GJ. Thiophene synthesis and distribution in young developing plants of *Tagetes patula* and *Tagetes erecta* 1459
ZHANG F, SMITH DL. Effects of low root zone temperatures on the early stages of symbiosis establishment between soybean [*Glycine max* (L.) Merr.] and *Bradyrhizobium japonicum* 1467
SPENCER D, JAMES EK, ELLIS GJ, SHAW JE, SPRENT JI. Interaction between rhizobia and potato tissues 1475
CORDOVILLA MP, LIGERO F, LLUCH C. The effect of salinity on N fixation and assimilation in *Vicia faba* 1483

Short Communications

HILL SA, BRYCE JH, LEAVER CJ. Pyruvate metabolism in mitochondria from cucumber cotyledons during early seedling development 1489
BRACALE M, GRAZIA GALLI M, SAVINI C, BIANCHI ME. Specific interaction of plant HMG-like proteins with cruciform DNA 1493
SEGOVIA M, VICENTE C. Two-step regulation of algal adenylyl cyclase activity by phyochrome in the lichen *Evernia prunastri* 1497

Book Review

BOULTER D. Peas: genetics, molecular biology and biotechnology. R Casey, DR Davies 1501

Number 280

JOHNSON S, LIU C-M, HEDLEY CL, WANG TL. An analysis of seed development in *Pisum sativum.* XVIII 1503
BROWN JH, CHAMBERS JA, GHOSH S, FROESE CD, HUFF AM, THOMPSON JE. Phospholipid metabolism in membranes of senescing bean cotyledons 1513
GAHAN PB, PINTO E, COURT S, EZE K, WANG L, MANTELL SH. Plant growth regulator-induced xylogenesis in cotyledons of *Solanum aviculare* 1523
RYYPPÖ A, VAPAAVUORI EM, RIKALA R, SUTINEN M-L. Fatty acid composition of microsomal phospholipids and H^+-ATPase activity in the roots of Scots pine seedlings grown at different root temperatures during flushing 1533
TÉCSI LI, MAULE AJ, SMITH AM, LEEGOOD RC. Metabolic alterations in cotyledons of *Cucurbita pepo* infected by cucumber mosaic virus 1541
THEODOULOU FL, DEWEY FM, EVANS DE. Calmodulin-stimulated ATPase of maize cells: functional reconstitution, monoclonal antibodies and subcellular localization 1553
PERRAS MR, ABRAMS SR, BALSEVICH JJ. Characterization of an abscisic acid carrier in suspension-cultured barley cells 1565
SARAVITZ CH, CHAILLOU S, MUSSET J, RAPER JR CD, MOROT-GAUDRY J-F. Influence of nitrate on uptake of ammonium by nitrogen-depleted soybean: is the effect located in roots or shoots? 1575
MÖLLERS C, STIEWE G, ROBINSON DG. Irreversible inhibition of rapeseed protoplast (*Brassica napus* L.) development through treatment with the mitochondrial vital stain nonyl-acridine orange (NAO) 1585
REINARD T, SPRUNCK S, ALTHERR S, JACOBSEN H-J. Biochemical properties of a novel cell wall protein associated with elongation growth in higher plants 1593
FERRIS R, TAYLOR G. Increased root growth in elevated CO_2: a biophysical analysis of root cell elongation 1603
CONTI S, SMIRNOFF N. Rapid triggering of malate accumulation in the C_3/CAM intermediate plant *Sedum telephium*: relationship with water status and phosphoenolpyruvate carboxylase 1613
KOOPS AJ, JONKER HH. Purification and characterization of the enzymes of fructan biosynthesis in tubers of *Helianthus tuberosus* 'Colombia'. I 1623
STRONACH IM, CLIFFORD SC, MOHAMED AD, SINGLETON-JONES PR, AZAM-ALI SN, CROUT NMJ. The effects of elevated carbon dioxide, temperature and soil moisture on the water use of stands of groundnut (*Arachis hypogaea* L.) 1633
KOSOLA KR, EISSENSTAT DM. The fate of surface roots of citrus seedlings in dry soil 1639
GARTNER BL. Root biomechanics and whole-plant allocation patterns: responses of tomato plants to stem flexure 1647
MITCHELSON KR, LUCZAK B, PORTER AJR. The characterization of arabms 1: an *Arabidopsis thaliana* sequence homologous to bacteriophage M13 repeat element 1655

Short Communications

HANDLEY LL, NEVO E, RAVEN JA, MARTÍNEZ-CARRASCO R, SCRIMGEOUR CM, PAKNIYAT H, FORSTER BP. Chromosome 4 controls potential water use efficiency ($\delta^{13}C$) in barley 1661
ESTIARTE M, PEÑUELAS J, KIMBALL BA, IDSO SB, LAMORTE RL, PINTER JR PJ, WALL GW, GARCIA RL. Elevated CO_2 effects on stomatal density of wheat and sour orange trees 1665
IDSO SB, KIMBALL BA. Effects of atmospheric CO_2 enrichment on biomass accumulation and distribution in Eldarica pine trees 1669

Book Reviews

LAWLOR DW. Ecophysiology of photosynthesis. E-D Schulze, MM Caldwell 1673
SMARTT J. Potato genetics. JE Bradshaw, GR Mackay 1673

Special Issue

PASSIOURA JB. The physical chemistry of the primary cell wall: implications for the control of expansion rate 1675
MCCANN MC, ROBERTS K. Changes in cell wall architecture during cell elongation 1683
DE SILVA J, ARROWSMITH A, HELLYER A, WHITEMAN S, ROBINSON S. Xyloglucan endotransglycosylase and plant growth 1693
POTTER I, FRY SC. Changes in xyloglucan endotransglycosylase (XET) activity during hormone-induced growth in lettuce and cucumber hypocotyls and spinach cell suspension cultures 1703
COSGROVE DJ, DURACHKO DM. Autolysis and extension of isolated walls from growing cucumber hypocotyls 1711

TOMOS D, PRITCHARD J. Biophysical and biochemical control of cell expansion in roots and leaves 1721
BRET-HARTE MS, SILK WK. Fluxes and deposition rates of solutes in growing roots of *Zea mays* 1733
SHARP RE, WU Y, VOETBERG GS, SAAB IN, LENOBLE ME. Confirmation that abscisic acid accumulation is required for maize primary root elongation at low water potentials 1743
SCHÜNMANN PHD, HARRISON J, OUGHAM HJ. *Slender* barley, an extension growth mutant 1753
TAYLOR G, RANASINGHE S, BOSAC C, GARDNER SDL, FERRIS R. Elevated CO_2 and plant growth: cellular mechanisms and responses of whole plants 1761
GREEN PB. Connecting gene and hormone action to form, pattern and organogenesis: byophysical transductions 1775

Number 281

TIBURCIO AF, BESFORD RT, CAPELL T, BORRELL A, TESTILLANO PS, RISUEÑO MC. Mechanisms of polyamine action during senescence responses induced by osmotic stress (Review article) 1789
NOBEL PS, ANDRADE JL, WANG N, NORTH GB. Water potentials for developing cladodes and fruits of a succulent plant, including xylem-versus-phloem implications for water movement 1801
FAMBRINI M, PUGLIESI C, VERNIERI P, PARDOSSI A, BARONCELLI S. Characterization of a wilty sunflower (*Helianthus annuus* L.) mutant. II 1809
KOHORN LU, GOLDSTEIN G, RUNDEL PW. Morphological and isotopic indicators of growth environment: variability in $\delta^{13}C$ in *Simmondsia chinensis*, a dioecious desert shrub 1817
ASP H, GUSSARSSON M, ADALSTEINSSON S, JENSÉN P. Control of potassium influx in roots of birch (*Betula pendula*) seedlings exposed to cadmium 1823
PEARSON JN, RENGEL Z. Distribution and remobilization of Zn and Mn during grain development in wheat 1829
JOHNSTON DJ, WILLIAMSON B, MCMILLAN GP. The interaction *in planta* of polygalacturonases from *Botrytis cinerea* with a cell wall-bound polygalacturonase-inhibiting protein (PGIP) in raspberry fruits 1837
LEV-YADUN S. Induction of sclereid differentiation in the pith of *Arabidopsis thaliana* (L.) Heynh. 1845
SPENCER-BARRETO MM, DUHOUX E. Root-to-shoot primordium conversion on *Sesbania rostrata* Brem. stem explants 1851
DECOUT E, DUBOIS T, GUEDIRA M, DUBOIS J, AUDRAN J-C, VASSEUR J. Role of temperature as a triggering signal for organogenesis or somatic embryogenesis in wounded leaves of chicory cultured *in vitro* 1859
AL-RASHDI J, BRYANT JA. Purification of a DNA-binding protein from a multi-protein complex associated with DNA polymerase-α in pea (*Pisum sativum*) 1867
DREW JE, GATEHOUSE JA. Isolation and characterization of a pea pod cDNA encoding a putative blue copper protein correlated with lignin deposition 1873
WHITE AJ, DUNN MA, BROWN K, HUGHES MA. Comparative analysis of genomic sequence and expression of a lipid transfer protein gene family in winter barley 1885
ALCÁNTARA E, ROMERA FJ, CAÑETE M, DE LA GUARDIA MD. Effects of heavy metals on both induction and function of root Fe(III) reductase in Fe-deficient cucumber (*Cucumis sativus* L.) plants 1893

Short Communications

KRENS FA, JAMAR D, KEIZER LCP, HALL RD. The effect of *n*-propyl gallate on the formation of ethylene during protoplast isolation in sugarbeet (*Beta vulgaris* L.) 1899
KANAZAWA K, HIGUCHI K, NISHIZAWA N-K, FUSHIYA S, CHINO M, MORI S. Nicotianamine aminotransferase activities are correlated to the phytosiderophore secretions under Fe-deficient conditions in Gramineae 1903

Book Reviews

JACKSON MB. Biology of adventitious root formation. TD Davies, BE Haissig 1907
OUGHAM HJ. Molecular and cell biology of the plant cell cycle. JC Ormrod, D Francis 1907
RAVEN JA. Light and photosynthesis in aquatic ecosystems, 2nd edn. JTO Kirk 1908